

CONTENTS

| | PAGE |
|---|------|
| Dr. Eugene Woldemar Hilgard, 1833-1916..... | 1 |
| Introductory. <i>Jacob G. Lipman</i> | 3 |
| A Detailed Study of Effects of Climate on Important Properties of Soils. <i>C. B. Lipman</i> and <i>D. D. Waynick</i> | 5 |
| The Influence of Some Common Humus-Forming Materials of Narrow and of Wide Nitrogen-Carbon Ratio on Bacterial Activities. <i>P. E. Brown</i> and <i>F. E. Allison</i> | 49 |
| Carbon and Nitrogen Changes in the Soil variously Treated: Soil Treated with Lime, Ammonium Sulfate and Sodium Nitrate. <i>R. S. Potter</i> and <i>R. S. Snyder</i> | 76 |
| Effect of Grinding on the Lime Requirement of Soils. <i>R. C. Cook</i> | 95 |
| The Actinomycetes of the Soil. <i>Selman A. Waksman</i> and <i>Roland E. Curtis</i> ... | 99 |
| Studies on Soil Protozoa. <i>Selman A. Waksman</i> | 135 |
| Quantitative Media for the Estimation of Bacteria in Soils. <i>R. C. Cook</i> | 153 |
| The Influence of Various Salts on the Growth of Soybeans. <i>John W. Shive</i> . | 163 |
| Factors Influencing the Protein Content of Soybeans. <i>Jacob G. Lipman</i> and <i>A. W. Blair</i> | 171 |
| Diastase Activity and Invertase Activity of Bacteria. <i>George P. Koch</i> | 179 |
| The Loess Soils of the Nebraska Portion of the Transition Region: I. Hygroscopicity, Nitrogen and Organic Carbon. <i>Frederick J. Alway</i> and <i>Guy R. McDole</i> | 197 |
| The Loess Soils of the Nebraska Portion of the Transition Region: II. Humus, Humus-Nitrogen and Color. <i>Frederick J. Alway</i> and <i>Morris</i> <i>J. Blish</i> | 239 |
| Can Soil be Sterilized without Radical Alteration? <i>David A. Coleman</i> , <i>H.</i> <i>Clay Lint</i> and <i>Nicholas Kopeloff</i> | 259 |
| Incubation Studies with Soil Fungi. <i>S. A. Waksman</i> and <i>R. C. Cook</i> | 275 |
| A Preliminary Statement of the Present Status of the Humus Nitrogen Problem in Arid Soils. <i>Chas. B. Lipman</i> | 285 |
| Preliminary Experiments on Some Effects of Leaching on the Soil Flora. <i>Chas. B. Lipman</i> and <i>L. W. Fowler</i> | 291 |
| The Loess Soils of the Nebraska Portion of the Transition Region: III. Potash, Soda, and Phosphoric Acid. <i>F. J. Alway</i> and <i>R. M. Isham</i> | 299 |
| Some Factors that Influence Nitrate Formation in Acid Soils <i>E. B. Fred</i> and <i>E. J. Graul</i> | 317 |
| Studies in Sulfification. <i>P. E. Brown</i> and <i>H. W. Johnson</i> | 339 |
| Bacterial Numbers in Soils, at Different Depths, and in Different Seasons of the Year. <i>Selman A. Waksman</i> | 363 |
| The Inoculation and Incubation of Soil Fungi. <i>Nicholas Kopeloff</i> | 381 |

| | PAGE |
|--|------|
| The Loess Soils of the Nebraska Portion of the Transition Region: IV. Mechanical Composition and Inorganic Constituents. <i>F. J. Alway and C. O. Rost</i> | 405 |
| Studies on the Decomposition of Cellulose in Soils. <i>I. G. McBeth</i> | 437 |
| The Influence of Lime on the Yield and Nitrogen Content of Corn. <i>A. W. Blair and H. C. McLean</i> | 489 |
| A Rapid Method for the Estimation of Calcium Oxide in Peat Soils. <i>R. A. Gortner</i> | 505 |
| Protein Decomposition in Soils. <i>Elbert C. Lathrop</i> | 509 |
| The Oxidation of Sulfur in Soils as a Means of Increasing the Availability of Mineral Phosphates. <i>Jacob G. Lipman, Harry C. McLean and H. Clay Lint</i> | 533 |
| The Effect of Soil Reaction on Ammonification by Certain Soil Fungi. <i>Nicholas Kopeloff</i> | 541 |
| Accumulation of Salts in Ohio Soils. <i>J. W. Ames and C. J. Schollenberger</i> . The Yield and Nitrogen Content of Soybeans as Affected by Inoculation. <i>J. G. Lipman and A. W. Blair</i> | 575 |
| Studies on Soil Colloids: I. Flocculation of Colloidal Solutions. <i>M. I. Wolkoff</i> | 585 |
| Index | 603 |

ILLUSTRATIONS

PLATES

EUGENE WOLDEMAR HILGARD

| | PAGE |
|---|------|
| Eugene Woldemar Hilgard, Ph.D., LL.D., Late Director Emeritus of the Agricultural Experiment Station of California, and Professor Emeritus of the University of California..... | 1 |
| A DETAILED STUDY OF THE EFFECTS OF CLIMATE ON IMPORTANT PROPERTIES OF SOILS | |
| PLATE I. Figs. 1, 2 and 3, show cellulose destruction by 1st, 2nd and 3rd foot of California soil (undisturbed) at California. Figs. 4, 5 and 6—Same for same soil disturbed..... | 48 |
| PLATE II. Figs. 1, 2 and 3, show cellulose destruction by 1st, 2nd and 3rd foot of California soil at Maryland. Figs. 4, 5 and 6—Same for California soil at Kansas | 48 |
| PLATE III. Figs. 1, 2 and 3, show cellulose destruction by 1st, 2nd and 3rd foot of Kansas soil at California. Figs. 4, 5 and 6—Same for Kansas soil at Kansas | 48 |
| PLATE IV. Figs. 1, 2 and 3, show cellulose destruction by 1st, 2nd and 3rd foot of Maryland soil at California. Figs. 4, 5 and 6—Same for Kansas soil at Maryland | 48 |
| PLATE V. Figs. 1, 2 and 3, show cellulose destruction by 1st, 2nd and 3rd foot of Maryland soil at Maryland. Figs. 4, 5 and 6—Same for Maryland soil at Kansas | 48 |
| CARBON AND NITROGEN CHANGES IN THE SOIL VARIOUSLY TREATED: SOIL TREATED WITH LIME, AMMONIUM SULFATE AND SODIUM NITRATE | |
| PLATE I. Apparatus used in determining carbon and nitrogen changes in soil variously treated | 94 |
| THE ACTINOMYCES OF THE SOIL | |
| PLATE I. Fig. 1.— <i>Act. violaceus-ruber</i> . Fig. 2.— <i>Act. violaceus-Caeseri</i> . Fig. 3.— <i>Act. chromogenus</i> , strain 22. Fig. 4.— <i>Act. virido-chromogenus</i> . Fig. 5.— <i>Act. diastato-chromogenus</i> . Fig. 6.— <i>Act. erithro-chromogenus</i> . Fig. 7.— <i>Act. purpeo-chromogenus</i> . Fig. 8.— <i>Act. chromogenus</i> , strain 40..... | 134 |
| PLATE II. Fig. 1.— <i>Act. albus</i> . Fig. 2.— <i>Act. alboatrus</i> . Fig. 3.— <i>Act. reticuli</i> . Fig. 4.— <i>Act. alboflavus</i> . Fig. 5.— <i>Act. albosporeus</i> . Fig. 6.— <i>Act. Verne</i> . Fig. 7.— <i>Act. griseus</i> . Fig. 8.— <i>Act. Californicus</i> | 134 |
| PLATE III. Fig. 1.— <i>Act. citreus</i> . Fig. 2.— <i>Act. Bobili</i> . Fig. 3.— <i>Act. purpurogenus</i> . Fig. 4.— <i>Act. Lipmanii</i> . Fig. 5.— <i>Act. diastaticus</i> . Fig. 6.— <i>Act. Fradii</i> . Fig. 7.— <i>Act. exfoliatus</i> . Fig. 8.— <i>Act. flavus</i> . Fig. 9.— <i>Act. Rutgersensis</i> . Fig. 10.— <i>Act. roseus</i> | 134 |

THE LOESS SOILS OF THE NEBRASKA PORTION OF THE TRANSITION REGION :

I. HYGROSCOPICITY, NITROGEN AND ORGANIC CARBON

- PLATE I. Fig. 1.—Field II at Wauneta showing very level character of fields in this area. A young orchard is shown in the foreground. Fig. 2.—Field III at McCook. Planted trees about the farmstead. Canyons in the loess at the right. Fig. 3.—Field V at Holdrege, showing level topography. Planted trees in the distance..... 238
- PLATE II. Fig. 1.—Field IV at Hastings showing very level topography. Planted trees in the distance. Fig. 2.—Field IV at Lincoln, showing rolling topography and, in the distance, native trees along water-courses. Fig. 3.—Field V at Weeping Water showing orchard and shade trees about a farmstead. This was one of the very few comparatively level tracts that had not been brought under the plow..... 238
- PLATE III. Fig. 1.—At the western edge of the loess plain. Looking westward from Field IV at Wauneta, showing the lower-lying plain of Tertiary rocks covered with residual soil. The loess extends about 300 yards beyond the immediate foreground. Fig. 2.—A canyon in the loess between Fields II and IV at Wauneta, showing contact of loess with underlying unaltered Tertiary rock. The man is shown standing on a slight projection of the latter. The photograph was taken from the opposite side of the canyon..... 238

SOME FACTORS THAT INFLUENCE NITRATE FORMATION IN ACID SOILS

- PLATE I. Colonies of bacteria on Heyden agar plates in nitrification studies in Colby silt loam. Fig. 1.—Control. Fig. 2.—Control plus CaCO_3 . Fig. 3.—Small amount of gelatin. Fig. 4.—Small amount of gelatin plus CaCO_3 . Fig. 5.—Large amount of gelatin. Fig. 6.—Large amount of gelatin plus CaCO_3 . Fig. 7.—Gelatin plus $\text{Ca}(\text{NO}_3)_2$. Fig. 8.—Gelatin plus $\text{Ca}(\text{NO}_3)_2$ plus CaCO_3 338

THE EFFECT OF SOIL REACTION ON AMMONIFICATION BY CERTAIN SOIL FUNGI

- PLATE I. The effect of soil reaction on the mycelial growth of *Rhizopus nigricans* using dried blood as the source of organic matter. $\text{HCl}(\text{N}/1)$ added in amounts equivalent to: 1. Check. 2. Original soil acid \approx 400 lbs. CaO per acre. 4. Acid \approx 1000 lbs. 5. Acid \approx 2000 lbs. 6. Acid \approx 3000 lbs. 7. Acid \approx 4000 lbs..... 574
- PLATE II. The effect of soil reaction on mycelial growth of *Rhizopus nigricans* using dried blood as the source of organic matter. $\text{NaOH}(\text{N}/1)$ added in amounts equivalent to: 1. Check. 2. Neutral. 8. Alk \approx 1000 lbs. CaO per acre. 9. Alk. \approx 2000 lbs. 10. Alk. \approx 3000 lbs. 11. Alk. \approx 4000 lbs. 574
- PLATE III. The effect of soil reaction on mycelial growth of *Rhizopus nigricans* using cottonseed meal as the source of organic matter. $\text{HCl}(\text{N}/1)$ added in amounts equivalent to: 1. Check. 2. Original soil acid \approx 400 lbs. CaO per acre. 4. Acid \approx 1000 lbs. 5. Acid \approx 2000 lbs. 6. Acid \approx 3000 lbs. 7. Acid \approx 4000 lbs..... 574
- PLATE IV. The effect of soil reaction on mycelial growth of *Rhizopus nigricans* using cottonseed meal as the source of organic matter. $\text{NaOH}(\text{N}/1)$ added in amounts equivalent to: 1. Check. 3. Neutral. 8. Alk. \approx 1000 lbs. CaO per acre. 9. Alk. \approx 2000 lbs. 10. Alk. \approx 3000 lbs. 11. Alk. \approx 4000 lbs. 574

ILLUSTRATIONS

ix

TEXT FIGURES

| | PAGE |
|---|------|
| CARBON AND NITROGEN CHANGES IN THE SOIL VARIOUSLY TREATED: SOIL TREATED WITH LIME, AMMONIUM SULFATE AND SODIUM NITRATE | |
| FIG. 1. Diagram of apparatus used in determining carbon and nitrogen changes in soil variously treated..... | 81 |
| 2. Diagram showing the average amount of carbon dioxide given off per day in soil variously treated..... | 87 |
| THE ACTINOMYCES OF THE SOIL | |
| FIG. 1. Relative percentages of bacteria and actinomycetes at different soil depths | 106 |
| INFLUENCE OF SALTS ON THE GROWTH OF SOYBEANS | |
| FIG. 1. Graphs showing the relative dry-weight values of soybeans grown in various cultures containing different salts..... | 168 |
| DIASTASE ACTIVITY AND INVERTASE ACTIVITY OF BACTERIA | |
| FIG. 1. The variation in the hydrolytic processes and the protein decom- position by <i>Bacterium mycoides</i> at different periods..... | 186 |
| 2. The variation in the hydrolytic processes and the protein decom- position by <i>Bacillus subtilis</i> at different periods..... | 186 |
| 3. Studies on the enzyme activity of <i>Bacillus coli</i> for a period of eight days | 190 |
| 4. Studies on the enzyme activity of <i>Bacterium mycoides</i> for a period of eight days | 190 |
| THE LOESS SOILS OF THE NEBRASKA PORTION OF THE TRANSITION REGION: | |
| I. HYGROSCOPICITY, NITROGEN AND ORGANIC CARBON. | |
| FIG. 1. Map showing distribution of loess in the United States and also the annual precipitation and evaporation of the loess region..... | 198 |
| 2. Map of Nebraska showing distribution of the loess, precipitation- belts, the altitude and the location of fields sampled..... | 203 |
| THE LOESS SOILS OF THE NEBRASKA PORTION OF THE TRANSITION REGION: | |
| II. HUMUS, HUMUS-NITROGEN AND COLOR. | |
| FIG. 1. Map of Nebraska showing distribution of the loess (shaded), annual precipitation and location of fields sampled..... | 240 |
| 2. Diagram showing relative amounts of humus found by the two methods in the different areas. | 245 |
| 3. Diagram showing the distribution of humus, as determined colori- metrically, in the different fields | 246 |
| 4. Diagram showing the distribution of humus in the surface foot... .. | 247 |
| CAN SOIL BE STERILIZED WITHOUT RADICAL ALTERATION? | |
| FIG. 1. Diagram showing the effect of intermittent heat for 5 days at 82°C. upon the numbers of bacteria in moist soil and in air-dry soils. | 263 |
| 2. Diagram of apparatus used in experiment on sterilizing soil with various antiseptics | 266 |

| | PAGE |
|---|------|
| INCUBATION STUDIES WITH SOIL FUNGI | |
| FIG. 1. Daily ammonia accumulation by (1) <i>Mucor plumbeus</i> , (2) <i>Monilia sitophila</i> , and (3) <i>Penicillium</i> sp..... | 282 |
| THE LOESS SOILS OF THE NEBRASKA PORTION OF THE TRANSITION REGION: | |
| III. POTASH, SODA AND PHOSPHORIC ACID | |
| FIG. 1. Map of Nebraska showing distribution of the loess (shaded), annual precipitation and location of the fields sampled..... | 300 |
| 2. Diagram showing relative amounts of citric acid soluble potash and phosphoric acid at different depths..... | 309 |
| BACTERIAL NUMBERS IN SOILS, AT DIFFERENT DEPTHS, AND IN DIFFERENT SEASONS OF THE YEAR | |
| FIG. 1—4. Moisture Content of Nitrogen, carbon, lime and in the four types of soil used..... | 375 |
| 5. Numbers of bacteria at the depth of 1 inch throughout the year.... | 376 |
| 6. Numbers of bacteria in different depths of soil: average for whole year. | 377 |
| THE INOCULATION AND INCUBATION OF SOIL FUNGI | |
| FIG. 1. Inoculation of <i>Penicillium</i> sp. 10. Increase over check of ammonia in mg. N..... | 384 |
| 2. Inoculation of <i>Rhizopus nigricans</i> . Increase in ammonia over check in mg. N..... | 386 |
| 3. Inoculation of <i>Zygorrhyncus Vuilleminii</i> . Increase over check of ammonia in mg. N..... | 388 |
| 4. Inoculation of <i>Rhizopus Oryzae</i> in dried blood. Increase over check of ammonia in mg. N..... | 390 |
| 5. Incubation period of <i>Zygorrhyncus Vuilleminii</i> . Increase over check of ammonia in mg. N..... | 395 |
| 6. Incubation period of <i>Zygorrhyncus Vuilleminii</i> . Daily increase in ammonia in mg. N..... | 396 |
| 7. Incubation of <i>Rhizopus nigricans</i> . Increase over check of ammonia in mg. N. | 399 |
| 8. Incubation period of <i>Rhizopus nigricans</i> . Daily increase in ammonia in mg. N. | 400 |
| THE LOESS SOILS OF THE NEBRASKA PORTION OF THE TRANSITION REGION: | |
| IV. MECHANICAL COMPOSITION AND INORGANIC CONSTITUENTS | |
| FIG. 1. Map of Nebraska showing distribution of the loess (shaded), annual precipitation and location of fields sampled..... | 406 |
| 2. Diagram showing the mechanical composition of the composite samples from the different areas..... | 408 |
| THE INFLUENCE OF LIME ON THE YIELD AND NITROGEN CONTENT OF CORN | |
| FIG. 1. Lime requirement of soil from unlimed and limed plots..... | 495 |
| 2. The influence of lime on the yield of corn, 1913. (Calculated to acre basis.)..... | 498 |
| 3. Percentage of nitrogen recovered from limed and unlimed plots: corn, 1913 | 502 |

THE EFFECT OF SOIL REACTION ON AMMONIFICATION BY CERTAIN SOIL FUNGI

PAGE

| | |
|--|-----|
| FIG. 1. The effect of reaction on <i>Rhizopus nigricans</i> in Penn clay loam (HCl—NaOH). | 547 |
| 2. The effect of reaction on <i>Zygorrhyncus Vuilleminii</i> in Norfolk sandy loam (HCl—NaOH). | 549 |
| 3. The effect of reaction on <i>Zygorrhyncus Vuilleminii</i> in Penn clay loam (HCl—NaOH). | 551 |
| 4. The effect of reaction on <i>Penicillium</i> sp. in Norfolk sandy loam (HCl—NaOH). | 553 |
| 5. The effect of reaction on <i>Penicillium</i> sp. in Penn clay loam (HCl—NaOH). | 555 |
| 6. The effect of reaction on <i>Penicillium</i> sp. in Norfolk sandy loam (H ₂ SO ₄ —CaCO ₃). | 558 |
| 7. The effect of reaction on <i>Penicillium</i> sp. in Penn clay loam (H ₂ SO ₄ —CaCO ₃). | 561 |
| 8. The effect of reaction on <i>Zygorrhyncus Vuilleminii</i> in Norfolk sandy loam (H ₂ SO ₄ —CaCO ₃). | 563 |
| 9. The effect of reaction on <i>Zygorrhyncus Vuilleminii</i> in Penn clay loam (H ₂ SO ₄ —CaCO ₃). | 565 |
| 10. The effect of reaction on <i>Rhizopus nigricans</i> in Norfolk sandy loam (H ₂ SO ₄ —CaCO ₃). | 567 |
| 11. The effect of reaction on <i>Rhizopus nigricans</i> in Penn clay loam (H ₂ SO ₄ —CaCO ₃). | 569 |

STUDIES ON SOIL COLLOIDS: I. FLOCCULATION OF COLLOIDAL SOLUTIONS

| | |
|--|-----|
| FIG. 1. The minimum electrolyte requirement for coagulation of soil colloidal solutions. | 592 |
| 2. The relation between the Mass Action Law and the flocculation of clay colloidal solution. | 597 |
| 3. The relation between the Mass Action Law and flocculation of muck colloidal solution. | 598 |

ERRATA

- Page 17, line 8 from bottom, "nitrate" should read "nitrate."
- Page 48, 3rd page following, legend opposite Plate II, last line, "as" should read "at."
- Page 94, reference (10), title of article should read "Untersuchungen über das Verhalten des Ammoniakstickstoff in gekalkten und ungekalkten Boden."
- Pages 104, 108, 109-128, "Czapeck" and "Czapeck's" should read "Czapek" and "Czapek's," respectively.
- Page 110, line 17 from bottom, "violaceus" should read "violaceus-ruber."
- Page 125, line 11, omit "33."
- Page 129, line 21, "albotratus" should read "alboatrus."
- Page 131, Table V, "violaceous-ruber" should read "violaceus-ruber," and "violaceous-Caeseri" should read "violaceus-Caeseri."
- Page 134, 3rd page following, legend opposite Plate II, "Act. albotratus" should read "Act. alboatrus."
- Page 151, reference (9) should read "Koch, G. P. 1915. Activity of soil protozoa. In Jour. Agr. Research, v. 5, no. 11, p. 477-488."
- Page 180, line 14, "bacillus fluoresens liquifi" should read "Bacillus fluorescens liquefaciens."
- Page 182, line 14, "1 per cent" should read "0.03645 per cent."
- Page 188, line 4, "bacillus fluorescens liqui" should read "Bacillus fluorescens liquefaciens."
- Page 232, line 1, "Table XXXIV" should read "Table XXXIV."
- Page 274, reference (7), "Lyon, T. A." should read "Lyon, T. L.," and references (11) and (12), "Russell, E. H." should read "Russell, E. J."
- Page 325, Table VII, "January 17—February 20" should read "January 17—January 20." Also, insert "November 24—January 7" under line reading "Group B.—Formation of Nitrates."
- Page 386, legend of figure 2, "or" should read "of."
- Page 392, Table VI, heading of 1st column under "Dried Blood Series" should read "Incr. 1 c.c. over 0.2 c.c.", of 2nd column, "Incr. 5 c.c. over 1.0 c.c.", and heading of 1st column under "Cottonseed Meal Series" should read "Incr. 1 c.c. over 0.2 c.c."
- Pages 381-403, "The Inoculation and Incubation of Soil Fungi," by N. Kopeloff. Throughout this article, "Zygorrhynchus" should read "Zygorhynchus" (preferable form).

